

A ROBUST, FLEXIBLE & ECONOMICAL SOLUTION TO DUST CONTROL APPLICATIONS...

SELF CONTAINED UNITS WHICH GIVE A COMBINATION OF EXTRACTION EFFICIENCY, DURABILITY AND FLEXIBILITY.

The Puratron Mobile Dust and Fume Extraction Units are manufactured in two standard sizes and are easily manoeuvred around most factory environments.

The units can be manufactured in powder coated mild steel or stainless steel and can be **upgraded to suit ATEX Zone 1/21 and Zone 2/22.**

These units are available for purchase or hire.

SUPPLIED WITH...

- > Centrifugal fan
- > Self cleaning auto shakedown filtration
- > Electrical control panel
- > 2, 3 or 4mtr extraction arms
- > Magnahelic gauge
- > Dust collection bin 30ltr
- > 550grm polyester needlefelt bag filter


AVAILABLE OPTIONS...

- > Flame proof motors
- > HEPA filtration
- > Carbon filtration
- > Suitable for use in an ATEX zoned area
- > Stainless steel construction
- > Ductwork connection spigots
- > Anti-Static/flame retardant bag filter









EXTRACTION UNITS FOR ALL INDUSTRIES...

- > Shipbuilding
- > Food Manufacturing
- > Wood Working
- > Universities, Colleges & Schools
- > Plastics

- > Chemicals
- > Foundries
- > Motor Manufacturers
- > Construction
- > Dyes and Powders

Model	PA9-1.5	PA9-1.5 SS	PA9-3.0	PA9-3.0 SS
No. of Arms	1	1	2	2
Air Volume	1,500m ³ /hr	1,500m³/hr	3,000m ³ /hr	3,000m³/hr
Motor Power	1.5kw	1.5kw	3.0kw	3.0kw
Filter	9m ² PNF	9m ² PNF	9m ² PNF	9m ² PNF
Supply	240v1ph or 415v 3ph	240v1ph or 415v 3ph	415v 3ph	415v3ph
Length	1020mm	1020mm	1020mm	1020mm
Width	760mm	760mm	760mm	760mm
Height	1810mm	1810mm	1810mm	1810mm
Height c/w HEPA	2250mm	2250mm	2250mm	2250mm
Weight	300kg	330kg	330kg	360kg
Noise Level	76db(A)	78db(A)	76db(A)	78db(A)
Construction	Powder Coated M/S	304 SS	Powder Coated M/S	304 SS







Climavent Systems Limited

Unit 1 Park Industrial Estate Liverpool Road Ashton-in-Makerfield Wigan Lancashire WN4 0YU

T: +44 (0)1942 726 164 F: +44 (0)1942 722 300

E: info@climavent.co.uk







